| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 22578-005US1 | Application No. 10/535,345 |
|---|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR 1.98(b)) | | Applicant Semple, et al. | |
| | | Filing Date February 15, 2006 | Group Art Unit 1626 |



## U.S. Patent Documents

| Examiner Initial | Desig. ID | Document Number | Publication Date | Patentee | Class | Subclass | Filing Date If Appropriate |
|---|---|---|---|---|---|---|---|
| | AA | | | | | | |

## Foreign Patent Documents or Published Foreign Patent Applications

| Examiner Initial | Desig. ID | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation Yes | Translation No |
|---|---|---|---|---|---|---|---|---|
| | AB | WO06/069242A2 | 06/29/06 | WIPO | | | | |
| | AC | WO05044816A1 | 05/19/05 | WIPO | | | | |
| | AD | WO04103370A1 | 12/02/04 | WIPO | | | | |
| | AE | WO03078409A1 | 09/25/03 | WIPO | | | | |
| | AF | WO03062200A2 | 07/31/03 | WIPO | | | | |
| | AG | WO03022814A1 | 03/20/03 | WIPO | | | | |
| | AH | WO03002582A1 | 01/09/03 | WIPO | | | | |
| | AI | WO02094830A2 | 11/28/02 | WIPO | | | | |
| | AJ | WO0179169A2 | 10/25/01 | WIPO | | | | |
| | AK | WO0166520A1 | 09/13/01 | WIPO | | | | |
| | AL | WO98/28269 | 07/02/98 | WIPO | | | | |
| | AM | DE10148617A1 | 04/24/03 | Germany | | | | |
| | AN | EP1305286B1 | 12/08/04 | Europe | | | | |
| | AO | EP05298854A2 | 03/09/93 | Europe | | | | |

## Other Documents (include Author, Title, Date, and Place of Publication)

| Examiner Initial | Desig. ID | Document |
|---|---|---|
| | AP | Alterman, M. et al., "Fast microwave-assisted preparation of aryl and vinyl nitriles and the corresponding tetrazoles from organo-halides", J. Org. Chem. 65:7984-89 (2000)(supporting information attached) |
| | AQ | Cahn, R.S. et al., "Specification of molecular chirality", Angew. Chem. Internat. Edit. 5(4):385-415 (1966) |
| | AR | Carballo-Jane et al., "Comparison of rat and dog models of vasodilation and lipolysis for the calculation of a therapeutic index for GPR109A agonists," *Journal of Pharmacological and Toxicological Methods*, Article in Press, doi:10.1016/j.vascn.2007.05.007 (2007). |
| | AS | Carballo-Jane et al., "Comparison of rat and dog models of vasodilation and lipolysis for the calculation of a therapeutic index for GPR109A agonists," *Journal of Pharmacological and Toxicological Methods*, 56(3). pp. 308-316, (2007). |

| Examiner Signature | Date Considered |
|---|---|
| | |

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| Substitute Form PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 22578-005US1 | Application No. 10/535,345 |
|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR §1.98(b)) | Applicant Semple, et al. | |
| | Filing Date February 15, 2006 | Group Art Unit 1626 |

| Other Documents (include Author, Title, Date, and Place of Publication) | | |
|---|---|---|
| Examiner Initial | Desig. ID | Document |
| | AT | Clayton, S. et al., "A total synthesis of (±)-epibatidine", Tetrahedron Letters 34(46):7493-6 (1993) |
| | BA | Cohen, T. et al., "Synthetically useful β-lithioalkoxides from reductive lithiation of epoxides by aromatic radical anions", J. Org. Chem. 55:1528-36 (1990) |
| | BB | Corsaro, A. et al., "Steric course of some cyclopropanation reactions of L-threo-hex-4-enopyranosides", Tetrahedron Letters 60:3787-95 (2004) |
| | BC | Effenberger, F. et al., "Regioselective halo- and carbodesilylation of (trimethylsilyl)-1-methylpyrazoles", J. Org. Chem. 49:4687-95 (1984) |
| | BD | Gharbaoui et al., "Agonist lead identification for the high affinity niacin receptor GPR109a ," *Bioorganic & Medicinal Chemistry Letters*, 17:4914-4919 (2007). |
| | BE | Hodgson, D. et al., "Intramolecular cyclopropanation of unsaturated terminal epoxides", J. Am. Chem. Soc. 126:8664-5 (2004) |
| | BF | Hodgson, D. et al., J. Am. Chem. Soc. 126:8664 (2004)(supporting information) |
| | BG | Jung et al., "Analogues of acifran: agonists of the high and low affinity niacin receptors, GPR109a and GPR109b," *Journal of Medicinal Chemistry*, 50:1445-1448 (2007). |
| | BH | Katritzky, A. et al., "Alpha-lithiation of N-alkyl groups in pyrazoles", Tetrahedron Letters 39:2023-9 (1983) |
| | BI | Latli, B. et al., "Novel and potent 6-chloro-3-pyridinyl ligands for the α4ß2 neuronal nicotinic acetylcholine receptor", J. Med. Chem. 42:2227-34 (1999) |
| | BJ | Latli, B. et al., "Supporting information for "Novel and potent 6-chloro-3-pyridinyl ligands for the α4ß2 neuronal nicotinic acetylcholine receptor", J. Med. Chem. pp. 2227(1999) |
| | BK | Maciejewski-Lenoir et al., "Langerhans cells release prostaglandin $D_2$ in response to nicotinic acid," *Journal of Investigative Dermatology*, 126:2637-2646 (2006). |
| | CA | Mahley, R. et al., "Drug therapy for hypercholesterolemia and dyslipidemia", Goodman & Gilman 36:971-1002 |
| | CB | Mariano, P. et al., "Mechanistic aspcts of gas-phase photodecarbonylation reactions of bicycle[3.1.0]hexanones", J. Org. Chem. 45:1753-62 (1980) |
| | CC | Miller, R.D. et al., "Deoxygenation of sulfoxides promoted by electrophilic silicon reagents: preparation of aryl-substituted sulfonium salts", J. Org. Chem. 53:5571-3 (1988) |
| | CD | Movassaghi, M. et al., "A direct method for the conversion of terminal epoxides into γ-butanolides", J. Am. Chem. Soc. 124(11):2456-7 (2002) |
| | CE | Newman-Evans, R. et al., "The influence of intramolecular dynamics on branching ratios in thermal rearrangements", J. Org. Chem. 55:695-711 (1990) |
| | CF | Nishimura, J. et al., "A novel synthesis of methylcyclopropanes", Tetrahedron Letters 25:2647-59 (1969) |
| | CG | Olivo, H. et al., "Synthetic studies on the trans-Chlorocyclopropane dienyne side chain of Callipeltoside-A", Org. Lett. 2(25):4055-8 (2000)(supporting information attached) |
| | CH | Prelog, V. et al., "Basic principles of the CIP-system and proposals for a revision", Angew. Chem. Int. Ed. Engl. 21:567-83 (1982) |
| | CI | Richman et al., "Nicotinic acid receptor agonists differentially activate downstream effectors," *The Journal of Biological Chemistry*, 282:18028-18036, (2007). |

| Examiner Signature | Date Considered |
|---|---|
| | |

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 22578-005US1 | Application No. 10/535,345 |
|---|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR §1.98(b)) | | Applicant Semple, et al. | |
| | | Filing Date February 15, 2006 | Group Art Unit 1626 |

| Other Documents (include Author, Title, Date, and Place of Publication) | | |
|---|---|---|
| Examiner Initial | Desig. ID | Document |
| | CJ | Schaus, S. et al., "Highly selective hydrolytic kinetic resolution of terminal epoxides catalyzed by chiral (salen)cobalt(III)-complexes. Practical synthesis of enantioenriched terminal epoxides and 1,2-Diols", JACS 124:1307 (2002)(supporting information attached) |
| | CK | Semple et al., "Recent progress in the discovery of niacin receptor agonists," *Current Opinion in Drug Discovery & Development*, 10:452-459, (2007). |
| | CL | Semple et al., "1-Alkyl-benzotriazole-5-carboxylic acids are highly selective agonists of the human orphan G-protein-coupled receptor GPR109b," *Journal of Medicinal Chemistry* 49:1227-1230, (2006). |
| | CM | Semple, "Niacin receptor agonists," Presentation, American Chemical Society 233rd National Meeting & Exposition, March 25, 2007 – March 29, 2007, Chicago, Illinois |
| | CN | Semple, "Discovery of selective agonists for GPR109a and GPR109b, the high and low affinity receptors for niacin," Presentation, *GPCRs in Medicinal Chemistry*, jointly organized by the Society of Chemical Industry, Royal Society of Chemistry and the Societa Chimica Italiana, September 18, 2006 – September 20, 2006, Verona, Italy |
| | CO | Skinner et al, "Fluorinated pyrazole acids are agonists of the high affinity niacin receptor GPR109a," Poster, 30th National Medicinal Chemistry Symposium, June 25, 2006 – June 29, 2006, Seattle, WA |
| | CP | Smith, A. et al, "Total synthesis of the neotropical poison-frog alkaloid (-)-205B, Org. Lett. 7(15):3247-50 (2005)(supporting information attached) |
| | CQ | Taber, D. et al., "Synthesis of the eight enantiomerically pure diastereomers of the 12-F2-Isoprostanes", J. Am. Chem. Soc. 124:13121-6 (2002)(supporting information attached) |
| | CR | Taggart et al., "(D)-ß-Hydroxybutyrate inhibits adipocyte lipolysis via the nicotinic acid receptor PUMA-G," *The Journal of Biological Chemistry*, 280:26649-26652, (2005). |
| | CS | Turner, S. et al., "Enantiospecific synthesis of annulated nicotine analogues from D- and L-glutamic acid Pyridotropanes", J. Org. Chem. 65:861-70 (2000) |
| | DA | Yagi, H. et al., "Removal of benzyl-type protecting groups frompeptides by catalytic transfer hydrogenation with formic acid", J. Org. Chem. 44(19):3442-4 (1979) |
| | DB | Zhang, R. et al., "Cyclopropanation reactions of pyroglutamic acid-derived synthons with akylidene transfer reagents", J. Org. Chem. 64:547-55 (1999)(supporting information attached) |

| Examiner Signature | Date Considered |
|---|---|
| EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |